

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8842	((signaling with system with seven) or SS7)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 09:56
L2	157	((signaling with system with seven) or SS7) and (activat\$3 or dial\$3 or DTMF) and presen\$3 with (database or registration) and @ad<"20000322"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:00
L3	148	((signaling with system with seven) or SS7) and (activat\$3 or dial\$3 or DTMF) and presen\$3 with (database or registration or server) and @ad<"20000322" and (internet with network)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:02
L4	33	receiv\$3 with ((signaling with system with seven) or SS7) and (activat\$3 or dial\$3 or DTMF) and presen\$3 with (database or registration or server) and @ad<"20000322" and (internet with network)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:05
L5	33	receiv\$3 with ((signaling with system with seven) or SS7) and (activat\$3 or dial\$3 or DTMF) and presen\$3 with (database or registration or server) and @ad<"20000322" and (internet with network)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:39
L6	37	receiv\$3 with ((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:45
L7	2	receiv\$3 with ((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322" and presence with (status or plac\$3 or position\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:48
L8	34	receiv\$3 with ((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322" and (status or plac\$3 or position\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:49
L9	14	receiv\$3 with ((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322" and (status or plac\$3 or position\$3) same server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:51

EAST Search History

L10	10	receiv\$3 with ((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322" and (status or plac\$3 or position\$3) same server and updat\$3 with database	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:52
L11	14	receiv\$3 with ((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322" and (status or plac\$3 or position\$3) same server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:55
L12	216	((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:57
L13	215	((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322" and (status or position or locat\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 10:58
L14	30	((signaling with system with seven) or SS7) and (determin\$3 or requir\$3 or demand\$3) with registrat\$3 and @ad<"20000322" and presence with (status or position or locat\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 11:08
L15	112	((signaling with system with seven) or SS7) and (register\$3 or log\$3 or registrat\$3) and @ad<"20000322" and (IM or (instant with messag\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 11:09
L16	112	((signaling with system with seven) or SS7) and (register\$3 or log\$3 or registrat\$3) and @ad<"20000322" and (IM or (instant with messag\$3)) and (locat\$3 or status or position)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 11:10
L17	46	receiv\$3 with ((signaling with system with seven) or SS7) and (register\$3 or log\$3 or registrat\$3) and @ad<"20000322" and (IM or (instant with messag\$3)) and (locat\$3 or status or position)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 11:12
L18	30	receiv\$3 with ((signaling with system with seven) or SS7) and (register\$3 or log\$3 or registrat\$3) and @ad<"20000322" and (instant with messag\$3) and (locat\$3 or status or position)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 11:18

EAST Search History

L19	29	receiv\$3 with ((signaling with system with seven) or SS7) and (register\$3 or logg\$3 or registrat\$3) and @ad<"20000322" and (instant with messag\$3) and (locat\$3 or status or position)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/16 11:33
-----	----	--	--	----	----	------------------